



---

The only choice for  
commercial landscapers  
to replace gas

---

Catalogue 2026


“ I converted all my crews to Kress.  
Prioritizing our employees’ health is  
one of the best retention strategies  
we have. ”

Justin White, CEO  
K&D, Ohio, USA

**Kress** 



OFFICIAL LANDSCAPING EQUIPMENT



We've never made an internal combustion engine. And never will.

---

**Kress has always been at the forefront of electric innovation.**

Founded by Christian Kress in 1928, the company's initial focus was electric motors.

By the 1960s, the brand expanded into stationary workshop machines and portable power tools.

With a state-of-the-art R&D center in Switzerland in 1979, the emphasis shifted towards cordless tools, and Kress distribution expanded to 60 countries.

Joining the international Positec Group in 2017 supercharged the brand's focus on cordless outdoor power equipment for professionals and homeowners.

In 2023, Kress proudly introduced the 8-minute CyberSystem, setting a new global standard in battery power, charging time and lifespan.

As an icon of German engineering, Kress remains committed to a future free of fossil fuels.



---

**Groundbreaking Innovations**

8-minute charging to 100% with Kress CyberSystem, the fastest charging, longest-lasting battery solution in the market.

---

**Dealer network**

100% commitment to Independent Dealer Network.

---

**Green values**

Holding both Leed Platinum and WWF Platinum certifications, Kress is not only dedicated to minimizing our own environmental impact but is also committed to empowering users worldwide to reduce their carbon footprint.



---

## Contents

“Kress Commercial not only elevated our bottom line, but it’s also compliant to California’s regulations without impacting on productivity.”

Garden View, California, USA

---

### 60 V Commercial

CyberSystem introduction	6
60 V CyberSystem range – Energy solution products	14
60 V CyberSystem range – Tools	26
Accessories	50
App	58

---

### 60 V Professional | 40 V Range

60 V Professional	60
40 V Range	76
Accessories	88

---

<b>Warranty</b>	94
-----------------	----



CyberSystem  
60 V Commercial


**Why Kress batteries are unique**

Kress 8-minute batteries are the fruit of extensive research and proprietary technology, engineered to create the ideal power solution specifically for commercial landscaping demands.


*“Our partnership with Kress brings battery-powered outdoor equipment to the field, elevating service levels while protecting our planet.”*

Stuart Barker, Programmed Property Services, Australia

Conventional batteries overheat—wasting energy, slowing down charging, and shortening lifespan.



Kress 8-minute batteries stay cool—more power to the tool, ultra-fast charging on the job, and much longer lifespan.



6.5kW\*



The only choice for commercial landscapers to replace gas

**CyberSystem**

Ready to abandon gas? Look no further. Still clinging to gas? It's time to evolve.

**Insane power**

The era of batteries chasing the power of gas engines is over. Now, it's their turn to try and catch up with Kress.

"I tried other brands but was not satisfied: they lacked productivity, efficiency, and savings. Kress has enabled my crews to work better."

Fabio Armani, Eco Garden Net, Tuscany, Italy

\*Peak power output of the Kress 8-minute 240 Wh battery, achievable for up to 10 seconds; continuous is 3.2 kW, deliverable up to full battery discharge.

**The new paradigm of power**

Kress 8-minute CyberPack® batteries excel over internal combustion engines, ensuring peak performance across RPMs. Their unique composition enables high discharge current without compromising cell integrity or longevity.


**Extreme longevity**

Guaranteed for 3,000 cycles, Kress 8-minute CyberPack® batteries are the only batteries to outsave fossil fuels.

**Ultra-fast on-site charge**

At just 8 minutes\*, batteries power up faster than they wind down. Even better, they charge on the go - no AC outlet needed.

\* With 8-minute CyberPack® batteries



3000 cycles





“ The quality is unbeatable. The team loves the way everything works. The batteries are super. Nothing comes close. ”

Thomas Peters, Green-keeper,  
Royal Portrush Golf Club,  
Northern Ireland


**Why many battery systems fall short as a true alternative to gas**

Conventional lithium battery systems lack the high-power output needed for commercial landscaping, charge too slowly, and miss the convenience of unplugged on-site charging. Their shorter lifespans mean more frequent replacements and higher costs.

Energy system - CyberSystem


**No AC outlet available on site**

Bring the energy on site and recharge batteries in just 8-minute. Power through the workday with no interruptions.




**Transportability and flexibility**

Bring the energy with you and recharge batteries on site. Power through the workday with no downtime.



**AC outlet available in the job site**

Plug into our super-fast charger with just a minimal set of batteries to ensure continuous operation without downtime.





“ Thanks to Kress, I have been able to make a change that brings benefits to everyone involved and also generates savings. ”

CIS, Tuscany, Italy


**Why choose Kress Commercial tools**

Switching to Kress Commercial battery-operated tools will relieve you and your workforce from health risks associated with fossil-fueled engines.

Kress cares

**Vibration**


Exposure to prolonged or excessive vibration can lead to a condition known as hand-arm vibration syndrome (HAVS).



**Air pollution**

The particulate emissions from a two-stroke engine operating for just one hour are equivalent to those from driving a car for 1,000 miles.

Source: California Air Resource Board



**Noise**

Prolonged exposure to high levels of noise has consequences on both physical and mental health.

Source: National Council on Aging





CyberTank®  
60 V Commercial

**Ultra-fast on-site charge**

Achieve a 100% charge for your batteries in just 8 minutes\*, ensuring uninterrupted operation during your daily tasks.

**Guaranteed for longevity**

The Kress Commercial CyberTank® excels in battery longevity with its automotive-grade LFP cells and tri-port management system, ensuring superior performance and extended lifespan.

**DC-DC ports**

With triple DC-DC ports enable simultaneous charging of multiple Kress 60 V batteries, ensuring uninterrupted power and boosting on-site efficiency.

**Durable by design**

With durable metal housing and IPX4 water-resistance, it withstands tough conditions, ensuring reliable performance and longevity in demanding professional environments.

\* In boost mode

**5 kWh CyberTank® portable power station**

**KAC875L**

**The tank – reinvented for clean energy**

The CyberTank® delivers 5 kWh of quiet, emission-free power to keep your batteries charged all day. Perfect for fleets and municipalities, it charges CyberPack® batteries in as fast as 8 minutes with boost mode.

Stored energy	5.04 kWh
Charge time (standard)	1 × 240 / 660 Wh: 14 min 2 × 240 / 660 Wh: 14 min
Charge time (boost mode)	1 × 240 / 660 Wh: 8 min
CyberTank® charging time	up to 4 hr
Weight	308 lbs.



**7.2 kWh CyberTank® portable power station**

**KAC877L**

**The evolution of tanks: from fossil fuel to clean energy**

The Kress Commercial CyberTank® ensures all-day, uninterrupted tool readiness while lowering costs and supporting sustainable practices-perfect for sustainable practices landscaping companies and municipalities.

Stored energy	7.2 kWh
Charge time (standard)	1 × 240 / 660 Wh: 14 min 2 × 240 / 660 Wh: 14 min
Charge time (boost mode)	1 × 240 / 660 Wh: 8 min
CyberTank® charging time	up to 6 hr
Weight	364 lbs.



Enhance operational efficiency



**KAC929.1**  
CyberCabinet



**KAC859L**  
AC power management



**KAC926**  
External antenna for CyberTank®



**The energy link**

Serving as the power source of CyberTank® Lite charging solution, it ensures 5 full charges of 240 Wh CyberPack® batteries.

**Dual-use power hub**

Featuring an impressive 1.5 kWh energy storage capacity and a peak output power of 9.7 kW, the CyberCapsule can double as a substantial battery module.

**Durability redefined**

The Kress CyberCapsule is built to last, withstanding rigorous conditions with its sturdy construction and IPX5-rated sealed PCB.

**Durability redefined**

Even under high discharge currents, the Kress CyberCapsule batteries are warranted for 4-year or 1200-cycle (whichever comes first), ensuring long-lasting cost savings.

**60 V 1.5 kWh CyberCapsule**

**KAC815**










**Modular energy, anywhere**

A portable 1.5 kWh energy module that stores power for on-the-go recharging. Paired with the CyberLite charger, it powers your batteries in the field or serves as a high-capacity backpack battery for direct tool use.



Max. voltage	60 V
Energy capacity	1.5 kWh
Battery weight	17.8 lbs.

Battery charging time (min)

		 <b>CyberTank®</b> KAC875L KAC877L		 <b>CyberTank®-Lite</b> KAC844 + KAC815		 <b>CyberPlug</b> KAC840	
	Charging mode	 80%	 100%	 80%	 100%	 80%	 100%
KAC815	Normal*	70'	90'	-	-	70'	90'

\*Only with normal charging mode, does not support boost mode



## CyberLite charger 60 V Commercial

- Ultra-fast charging** The CyberLite charger is a game-changer, boasting the ability to power a 240 Wh CyberPack® from a 1.5 kWh CyberCapsule in an astounding 12 minutes.
- Redefining resilience** Built for endurance, the Kress Commercial CyberLite charger features a robust design with an IPX5 rating, ensuring reliable protection against drops, dust, impacts, vibrations, and the elements.
- Stay in control** The CyberLite charger has intuitive LED indicators for quick charge updates and system diagnostics for optimal battery management and performance.
- Power in hand** With an ergonomic handle and light build, the charger offers excellent portability, engineered for landscape professionals who need reliable power anywhere.



## CyberPlug charger 60 V Commercial

- High-speed charging hub** With 1800 W output and advanced air cooling, the Kress CyberPlug delivers fast, efficient charging from any AC outlet—ideal for professionals seeking speed and reliability.
- Redefining resilience** Built for durability, the Kress Commercial CyberPlug charger features a rugged design to handle tough conditions. With an IPX5 rating, it resists water, dust, impact, vibrations, providing dependable performance in any environment.
- Dual-port design** The dual ports intelligently recognize and sequential charge a pair of batteries from the Kress CyberSystem lineup, optimizing downtime.
- Universal compatibility** Kress CyberPlug can charge all Kress 60 V batteries and CyberPack® batteries.

### 60 V Kress Commercial CyberLite charger

**KAC844**

**Charge anywhere,  
no outlet needed**

The CyberLite is a portable DC-DC charger that draws energy from a CyberCapsule to recharge any CyberPack® in the field—no AC power required. With a 12-minute charge time for 240 Wh, it keeps your tools powered and your team mobile.

Output voltage	60 V
Charging current	30 A
Charging time (240 Wh CyberPack®)	12 min
Weight	26 lbs.



### 60 V Kress Commercial 30 A CyberPlug charger

**KAC840**

**Plug-in fast  
charging**

The CyberPlug is a powerful AC charger built for commercial crews with access to jobsite power. It charges multiple CyberPack® batteries back-to-back, reaching full charge in just 12 minutes (240 Wh) or 25 minutes (660 Wh).

Output voltage	60 V
Input power	120 V / 15 A
Charging time (240 Wh CyberPack®)	12 min
Charging time (660 Wh CyberPack®)	25 min
Weight	26 lbs.



## 8-minute CyberPack® 60 V Commercial

### Insane power

The Kress 8-minute CyberPack® battery's advanced chemical composition provides up to 6.5 kW / 10 kW peak power, enhancing performance for tough commercial tasks with unmatched efficiency.

### Ultrafast charge. Everywhere.

Features proprietary chemistry for high-current flow without heat buildup, enabling 0 to 100% charging in just 8 minutes with CyberTank® (Boost mode), eliminating cooling time for uninterrupted operation.

### Extreme longevity

Even under high discharge currents, the Kress 8-minute CyberPack® batteries are warranted for 6 years or 3000-cycle (whichever comes first), ensuring long-lasting cost savings.

### Durability redefined

The Kress 8-minute CyberPack® is built to last, withstanding rigorous conditions with its sturdy construction and IPX5-rated sealed PCB.

### 60 V 240 Wh 8-minute CyberPack®

### KAC804

#### The industry's fastest charging battery

Unmatched in power, charging time, and durability. The Kress CyberPack® charges in just 8 minutes with the CyberTank® (Boost mode), delivers outstanding output, and lasts over 3,000 cycles.

Max. voltage	60 V
Energy capacity	240 Wh
Battery weight	6.6 lbs.



### 60 V 660 Wh 8-minute CyberPack®

### KAC810

#### The industry's fastest charging battery

Same ultra-fast 8-minute charge and 3,000-cycle durability as the 240 Wh CyberPack®—now with nearly 3x the energy for longer runtimes and higher output power. Designed for on-mower use or worn as a backpack.

Max. voltage	60 V
Energy capacity	660 Wh
Battery weight	17 lbs.



#### Battery charging time (min)

	Charging mode	CyberTank® KAC875L KAC877L		CyberTank®-Lite KAC844 + KAC815		CyberPlug KAC840	
		80%	100%	80%	100%	80%	100%
KAC804 	Boost mode	5'	8'	-	-	-	-
	Normal	10'	14'	8'	12'	8'	12'
KAC810 	Boost mode	5'	8'	-	-	-	-
	Normal	10'	14'	-	-	18'	25'

CyberPack® Nano  
60 V Commercial



**Small but powerful** Delivering 240 Wh of robust energy in a sleek package, the CyberPack® Nano offers consistent power for professional-grade tools without the bulk.

**Enhanced longevity** Even under high discharge currents, the Kress CyberPack® Nano batteries are warranted for 4-year or 1200-cycle (whichever comes first), ensuring long-lasting cost savings.

**Built to last** Fortified with a sealed PCB and air-cooling system, ensuring IPX5-rated protection against the elements. Dependable in the toughest conditions, it's the professional's choice for consistent performance.

60 V 240 Wh CyberPack® Nano

**KAC800**

**Power meets portability**

The CyberPack® Nano delivers reliable performance in a compact 3.44 lbs. build—perfect for jobs where every gram counts. Includes Bluetooth and smart battery management.

Max. voltage  
Energy capacity  
Battery weight

60 V  
240 Wh  
3.44 lbs.



Battery charging time (min)	Charging mode	CyberTank® KAC875L KAC877L		CyberTank®-Lite KAC844 + KAC815		CyberPlug KAC840	
		80%	100%	80%	100%	80%	100%
KAC800 	Normal*	25'	30'	25'	30'	25'	30'

\*Only with normal charging mode, does not support boost mode



## Energy infrastructure accessories 60 V Commercial

### Innovative energy accessories

Explore the cutting-edge innovations of energy accessories, seamlessly designed to enhance the performance of our 60 V Commercial CyberSystem solutions.

“With Kress, we have found the perfect partner, capable of offering us technology that perfectly meets our operational and environmental needs.”

Corrado Cinquanta, CEO Isam, Italy

### 2000 W Inverter

### KAC925L

#### Power tools, devices, and beyond

Running on Kress 60 V batteries or the CyberTank®, this inverter provides AC, USB, and 12 V output with real-time monitoring via Bluetooth and LCD.



**NEW**

Voltage	60 V
Battery Ports	2
Continuous Power	2000 W
Peak Power	4000 W
AC socket	2
USB C (x2)	5 V/9 V/12 V/15 V/20 V, 5 A, 100 W Max
USB A (x2)	5 V/3 A/9 V, 2 A/12 V, 1.5 A, 18 W Max
12V DC (x1)	12 V 10 A
Weight	23.8 lbs

## Energy infrastructure accessories Commercial

### CyberCabinet

### KAC929.1



The Kress Commercial CyberCabinet protects CyberTank® from the weather and has a heating pad to maintain optimal battery charge in winter, ensuring an uninterrupted workflow.

Weight	212 lbs.
Size	50" x 21.7" x 39.4"

### AC power management device

### KAC859L



Charges all equipment from one outlet, with automatic scheduling, overload protection, and IoT monitoring via the Kress Commercial APP.

Volts	100 - 125 V
Output	1800 W
Current	15 A
Cable length	8.2 ft

### 4-port extended charging case

### KAC843



Serves as an extension charger, allowing for sequential charging of multiple batteries in one-time setup. Works best with 30 A CyberPlug or CyberTank®.

Battery Ports	4
---------------	---

### Kress external 4G antenna for CyberTank®

### KAC926



Installed on the outside of the enclosed vehicles to enhance the 4G signals of the CyberTank®.

Cable length	13.1 ft
Compatible with	CyberTank® KAC875L CyberTank® KAC877L

### Protection cover for CyberTank®

### KAC927



Designed to keep your CyberTank® safe and operational even in challenging weather conditions.

Weight	1.56 lbs.
Compatible with	CyberTank® KAC875L CyberTank® KAC877L

### Protection cover for CyberPlug and CyberLite charger

### KAC924



The CyberPlug charger protection cover offers waterproof, UV-resistant protection for 30 A CyberPlug and CyberLite charger, and is compact for easy storage.

Weight	0.44 lbs.
Compatible with	Kress 30 A CyberPlug charger KAC840 & CyberLite charger KAC844



**Power is nothing without torque**

Delivers higher torque than other battery-powered models and outperforms popular gas-powered mowers.

**Precision cut quality**

Excels in delivering a superior finish across various mowing modes.

**Less time emptying, more time mowing**

Advanced LiftStream™ airflow maximizes bag capacity, reducing emptying frequency by up to 33%.

**Unstoppable uphill, easy on turns**

Powered by a dedicated brushless motor, provides smooth and consistent traction across all terrains.

**21"** reinforced steel deck SP lawn mower


**KC710.9**

**High-powered for high productivity**

Truly cordless. The Kress mower delivers gas-like power, efficient mulching, and tough durability for commercial landscaping.



Voltage	60 V
Motor type	Brushless
Cutting mode	mulch / bag / rear side discharge
Cutting height	1 in - 4.5 in
Torque	8 ft-lbs
Deck material	Reinforced steel
Bag capacity	2.5 bushels
Weight (bare)	77 lbs.
IP rating	IPX5



**Say goodbye to half-empty bags and frequent stops**

Mowing efficiency is redefined with Kress LiftStream™ — an advanced aerodynamic design that stretches from blade to bag.



Grass trimmer  
60 V Commercial

**Precise performance**

Engineered for professionals, Kress grass trimmers ensure steady power output for clean, efficient cuts in varied landscaping tasks.

**Effortless line reload**

Equipped with a quick-load head to accelerate the process, significantly reducing downtime.

**Precision speed control**

Offers a safe, efficient solution for maintaining both roadsides and public spaces with its variable speed trigger.

**16.5" rear-motor grass trimmer**

**KC100.9**

**Excellent performance**

With the strength of a 45 cc gas trimmer, this high-performance tool powers through dense growth and demanding conditions.



Voltage	60 V
Motor type	Brushless
Line diameter	.095" / .105"
Cutting speed	4200 / 5100 / 5900 rpm
Line feed system	Bump feed
Trimmer head type	Rapid reload
Line reload length	30 ft
Weight (bare)	10 lbs.
IP rating	IPX5



**16.5" front-motor grass trimmer**


**KC110.9**

**Precision handling, pro performance**

Lightweight yet powerful, this trimmer features a front-mounted motor for perfect balance and control—ideal for detailed landscaping work.



Voltage	60 V
Motor type	Brushless
Line diameter	.095" / .105"
Cutting speed	4500 / 5500 rpm
Line feed system	Bump feed
Trimmer head type	Rapid reload
Line reload length	13 ft
Weight (bare)	6.5 lbs.
IP rating	IPX5



**Quick-load trimmer head**

The quick-load trimmer head is designed for speed and simplicity, allowing for refills in as little as 30 seconds.

## Attachment-capable line trimmer 60 V Commercial

### Versatile trimming solution

Built for flexibility, featuring interchangeable heads and cutter blades to skillfully handle a variety of cleaning tasks.

### Powerful performance

Delivers 1.3 kW power, ensuring efficiency and speed across tasks.

### Precision speed control

Offers a safe, efficient solution for maintaining both roadsides and public spaces with its variable speed trigger.

### Streamlined line reload

Features a quick-load head, significantly reducing downtime and enhancing operational efficiency.

### Quick and easy coupling

Enjoy swift, secure attachment changes with the quick-couple system, providing clear feedback for safety and ease of use.

## 16.5" attachment-capable line trimmer

**KC120.9**

### One tool, endless possibilities

Its quick-change attachment system turns it into a brush cutter, edger, hedge trimmer, or pole saw—giving pros the flexibility to handle any task with one machine.

Voltage	60 V
Motor type	Brushless
Line diameter	.095" / .105"
Cutting speed	4500 / 5900 rpm
Line feed system	Bump feed
Trimmer head type	Rapid reload
Line reload length	13 ft
Weight (bare)	9.4 lbs.
IP rating	IPX5



## Applicable heads\* Commercial

Straight edger



Curved edger



Adjustable hedge trimmer



Pole saw



\* The multi-functional heads are sold separately



Multi-tasking tool system  
60 V Commercial

**Explore the versatility** Provides different types of attachments to tackle diverse landscaping.

“Being the first to embrace electric equipment showcases our company as an industry leader committed to innovation and sustainability.”

Jake Reynolds, DW Burr Landscape and Design, Connecticut, USA

Multi-tasking tool  
power head and attachment

Power head **KAC104**



The power head is the core of the multi-tasking tool system, enabling professionals to tackle various tasks with its attachments.

Compatible model	KC120.9
Output power	1.3 kW
Length	32.6"
Weight	6.1 lbs.
IP rating	IPX5

Grass trimmer attachment **KAC105**



The grass trimmer attachment, featuring rapid reload, ensures efficient trimming for professionals.

Compatible model	KC120.9
Cutting width	16.5"
Line reload volume	13 ft
Length	38.6"
Weight	3.3 lbs.
IP rating	IPX5

Straight shaft edger attachment **KAC141**



The straight-shaft edger attachment creates sharp and precise edges.

Compatible model	KC120.9
Blade length	8"
Length	36.6"
Weight	5.3 lbs.
IP rating	IPX5

Curved shaft edger attachment **KAC142**



The curved-shaft edger attachment maintains neat and exact edges.

Compatible model	KC120.9
Blade length	8"
Length	35.8"
Weight	5.1 lbs.
IP rating	IPX5

Adjustable hedge trimmer attachment **KAC200**



The adjustable hedge trimmer attachment with 145° working range, providing the perfect reach and range for conquering varieties of hedges.

Compatible model	KC120.9
Blade length	20"
Length	60.6"
Weight	6 lbs.
IP rating	IPX5

Pole saw attachment **KAC361**



The pole saw attachment facilitates quick cuts in hard-to-reach areas.

Compatible model	KC120.9
Blade length	10"
Length	50"
Weight	3.9 lbs.
IP rating	IPX5

Extension shaft **KAC360**



The shaft enhances the reach of pole saw or hedge trimmer attachments.

Compatible model	KC120.9
Length	42.9"
Weight	1.7 lbs.
IP rating	IPX5



## Brush cutter 60 V Commercial

### Precise performance

Engineered for professionals, Kress grass trimmers ensure steady power output for clean, efficient cuts in varied landscaping tasks.

### Precision speed control

Offers a safe, efficient solution for maintaining both roadsides and public spaces with its variable speed trigger.

### Advanced low-vibration technology

Features significantly reduced vibration and noise levels. It's crafted for serene landscaping tasks, enhancing comfort while preserving neighborhood tranquility.

## 16.5" rear-motor brush cutter


**KC170.9**

### Built for brutal brush

With the equivalent output of a 45 cc gas unit, this brush cutter handles the toughest terrain with ease.



Voltage	60 V
Motor type	Brushless
Line diameter	.095" / .105"
Cutting speed	4200 / 5100 / 5900 rpm
Line reload length	30 ft
Weight (bare)	12.1 lbs.
IP rating	IPX5



### Safe cutting for busy spaces

The Kress grass cutters' advanced speed adjustability enables setting an optimal cutting speed that effectively trims without projecting debris, ensuring continuous operation and enhanced efficiency.



**Variable speed control**

Offers precise control over cutting speeds, enabling task-specific adjustments for extended runtime and minimized recharges.

**Height-adjustment wheel**

Equipped with an intuitive guide wheel and captive wingnut, this edger makes setting the cutting depth straightforward.

**Contoured debris guard**

Effectively protects the deck and power head from impacts and abrasions encountered during use.

**8" straight-shaft lawn edger**

**KC150.9**

**Effortless, razor-sharp edges**

With the power of a 31 cc gas engine, this edger delivers clean, crisp lines even in tough soil or overgrown borders. Built for routine edging along concrete and paved paths, it ensures professional results every time.

Voltage	60 V
Motor type	Brushless
Cutting speed	3000 / 3600 / 4200 rpm
Weight (bare)	11.7 lbs.
IP rating	IPX5




**8" curved-shaft lawn edger**

**KC151.9**

**Effortless, razor-sharp edges**

Equipped with a motor as powerful as a 25 cc engine, this durable edger reaches up to 8100 rpm, delivering clean, accurate edges in diverse conditions.

Voltage	60 V
Motor type	Brushless
Cutting speed	6800 / 8100 rpm
Weight (bare)	10.3 lbs.
IP rating	IPX5



**Height-adjustment wheel**

Equipped with an intuitive guide wheel and captive wingnut, this edger makes setting the cutting depth straightforward, guaranteeing uniform and precise edging outcomes.

Hedge trimmer  
60V Commercial



**Lightweight and ergonomics design**

Features a lightweight design for optimal maneuverability and comfort, tackling extensive projects with ease.

**Powerful cut**

Equipped with steel dual-sided laser-cut blades and a commercial-grade brushless motor, it offers exceptional cutting efficiency for diverse landscaping challenges, ensuring precise, clean cuts consistently.

**Low vibration**

The sophisticated anti-vibration system not only ensures a more comfortable grip but also actively reduces the risk of long-term vibration-related ailments.

**25" hedge trimmer, pruning**

**KC200.9**

**Superior performance**

Its double-sided, laser-cut blades handle dense growth with ease—ensuring smooth, precise results every time.

**3200 SPM**

Voltage	60V
Motor type	Brushless
Cutting speed	2800 / 3200 spm
Tooth spacing	1.5 in
Weight (bare)	9 lbs.
IP rating	IPX5



**25" hedge trimmer, trimming**

**KC201.9**


**Powerful yet lightweight**

Its 8.3 lbs. body and 5,000 SPM cutting speed make it ideal for professionals in landscaping and municipal care who value control, comfort, and sustainability.

**5000 SPM**

Voltage	60V
Motor type	Brushless
Cutting speed	4400 / 5000 spm
Tooth spacing	1.2 in
Weight (bare)	8.3 lbs.
IP rating	IPX5





## Pole hedge trimmer 60 V Commercial

### Efficient precision

Engineered for fast, precise cuts, delivering professional-grade results with ease.

### Balanced performance

Delivers steady handling and precision for landscaping professionals, ensuring a controlled cutting experience without fatigue over long periods.

### Precision at your command

The variable speed trigger system allows for precise power adjustments, promoting energy-saving practices and extending battery pack runtime.

## 22" short-shaft fixed pole hedge trimmer

**KC231.9**

### Reach further, cut faster and safe

Designed to handle hedges with a fixed cutting and short shaft. The powerful motor and laser-cut steel blade deliver 25 cc-equivalent cutting efficiency.

### 4500 SPM

Voltage  
Motor type  
Cutting speed  
Tooth spacing  
Weight (bare)  
IP rating

60 V  
Brushless  
3200 / 4500 spm  
1.34 in  
9.2 lbs.  
IPX5



## 22" short-shaft articulating (145°) pole hedge trimmer

**KC240.9**

### Mid reach. Max comfort.

With a 145° articulating head and short shaft, this trimmer delivers ideal reach and balance for mid-sized hedges.

### 4000 SPM

Voltage  
Motor type  
Cutting speed  
Blade length  
Tooth spacing  
Weight (bare)  
IP rating

60 V  
Brushless  
3200 / 4000 spm  
22 in  
1.3 in  
11.4 lbs.  
IPX5



## 22" fixed pole hedge trimmer

**KC241.9**

### Fixed angle, extended reach

Its powerful 25 cc-equivalent motor delivers fast, accurate cuts—ideal for structured hedge maintenance at height.

### 4000 SPM

Voltage  
Motor type  
Cutting speed  
Blade length  
Tooth spacing  
Weight (bare)  
IP rating

60 V  
Brushless  
3200 / 4000 spm  
22 in  
1.3 in  
10.1 lbs.  
IPX5



## 22" long-shaft articulating (145°) pole hedge trimmer

**KC270.9**

### Long reach. Lasting precision.

Built for high hedges and hard-to-reach spots, this longshaft trimmer combines a 145° articulating head with a powerful 25 cc equivalent motor. No ladder needed.

### 4000 SPM

Voltage  
Motor type  
Cutting speed  
Blade length  
Tooth spacing  
Weight (bare)  
IP rating

60 V  
Brushless  
3200 / 4000 spm  
22 in  
1.3 in  
10.1 lbs.  
IPX5



Rear-handle chainsaw  
60 V Commercial



**Ready for unstoppable power?**

Delivers consistent performance under varying loads without stalling, unlike 2-stroke engine chainsaws, which often lose power under heavy loads.

**Optimized safety integration**

Equipped with an inertial brake, anti-trigger battery lock, dual-action trigger, and rear handle protection, ensures secure, reliable operation.

**Arborist's power ally**

Deliver commercial-grade cutting power with minimal maintenance. Built for arborists, as powerful as gas, offering longer runtime and lower costs. Reliable for demanding professional use.

**Precision tension**

The tensioning system allows quick, precise adjustments, keeping the chain at optimal tension for better efficiency and extended lifespan.

**16" chainsaw**

**KC300.9**

**Real power in every cut**

With a 79 ft/s chain speed and sustained torque across the full RPM range, the KC300.9 cuts fast—and keeps cutting.



Voltage	60 V
Motor type	Brushless
Chain speed	79 ft/s
Chain pitch	.325"lp
Chain gauge	.043"
Weight (bare)	8.2 lbs.
IP rating	IPX5



**16" chainsaw**

**KC310.9**

**Real power in every cut**

Unlike gas saws, it won't stall under load, making it ideal for landscaping pros and municipalities needing power, precision, and clean operation.



Voltage	60 V
Motor type	Brushless
Chain speed	79 ft/s
Chain pitch	.325"lp
Chain gauge	.043"
Weight (bare)	6.4 lbs.
IP rating	IPX5



**20" chainsaw**

**KC340.9**

**For heavy-duty cutting**

Delivering 98 ft/s chain speed, this saw is built for heavy-duty felling and pruning. Its sustained torque across the RPM range prevents stalling under load—giving arborists and landscapers full power, clean cuts, and control in every condition.



Voltage	60 V
Motor type	Brushless
Chain speed	98 ft/s
Chain pitch	.325"
Chain gauge	.050"
Weight (bare)	10.6 lbs.
IP rating	IPX5



**NEW**



## Top-handle chainsaw 60 V Commercial

### Robust power for precision work

Designed for professional arborists, delivers 2.4 kW power and 79 ft/s chain speed, matching a 45 cc gas chainsaw. It excels in precise cutting with exceptional efficiency and maneuverability.

### Built to last

Features a professional-grade cutting system engineered for precision and durability in woodcutting and tree maintenance. A tool built for enduring performance.

### Safety first

Prioritizes safety with an inertial brake, dual-action trigger, battery release catch, and multi-hook combination, ensuring reliable and secure operation.

### Commercial-grade brushless motor

The brushless motor delivers powerful, efficient performance with a longer lifespan and lower maintenance than gas chainsaws.



## Pole saw 60 V Commercial

### Superior performance

With 1.6 kW power and a 17 m/s chain speed, equivalent to a 30 cc gas pole saw, the KC330 delivers smooth, continuous cuts for effective pruning and overhead branch cutting.

### Commercial grade brushless motor

The commercial-grade brushless motor provides exceptional power, extended runtime, and durability. It offers reliable, maintenance-free performance compared to gas chainsaws.

### Multi-safety design

Features a control panel, trigger guard, brake indicator, status LED, and multiple alarms for safe and efficient operation during demanding tasks.

### Balanced design

The rear motor layout and 2-point adjustment of the pole saw enhance balance and ease of use, reducing fatigue in extended cutting tasks.

## 14" top handle chainsaw

### KC320.9

#### Powerfully lightweight

This arborist-grade top handle saw delivers sustained torque that prevents stalling—offering precise cuts, reduced kickback, and lower running costs than gas or competing battery tools.

Voltage  
Motor type  
Chain speed  
Chain pitch  
Chain gauge  
Weight (bare)  
IP rating

60 V  
Brushless  
79 ft/s  
.325"lp  
.043"  
5.5 lbs.  
IPX5



## 10" telescopic pole saw

### KC330.9


#### Extended precision

Reaching up to 13 feet, this pole saw delivers sustained torque that won't stall under load. Its 2-point adjustable head offers clean, accurate cuts from any angle—ideal for arborists and pros working from the ground up.

Voltage  
Motor type  
Chain speed  
Chain pitch  
Chain gauge  
Weight (bare)  
IP rating

60 V  
Brushless  
43 / 56 ft/s  
3/8"lp  
.043"  
12.6 lbs.  
IPX5





## Backpack blower 60 V Commercial

### Superior performance

With exceptional blowing force, air volume, and air speed, the Kress blower is engineered to deliver top-tier performance among commercial DC blowers.

### QuietStorm™ low-noise technology

Kress blowers meet city noise regulations and demanding customer needs, helping you secure low-noise bids while delivering gas-like blower performance.

### Fatigue-less design

The harness is crafted from breathable materials, ensuring air circulation and comfort during extended use.

### Precision at your command

The variable speed trigger system allows for precise power adjustments, promoting energy-saving practices and extending battery pack runtime.

### 30 N backpack blower

**KC520.9**

#### Quiet power, built for big yards

A 30 N backpack blower designed for medium to large residential properties with demanding cleanup needs. Delivering strong airflow at just 62.5 dB, it is perfect for larger properties and noise-restricted areas.

#### 30 N

Voltage	60 V
Motor type	Brushless
Max. air volume	800 CFM
Max. air speed	200MPH
Weight (bare)	16 lbs.
IP rating	IPX5



**NEW**

### 35 N backpack blower

**KC500.9**

#### Quiet-zone compliant

With 35 N of thrust, this quiet machine operates at just 62.5 dB from 50 ft, meeting silent zone requirements with no fumes, no vibration, and top performance. Ideal for cities, campuses, and contractors needing serious output with zero disruption.

#### 35 N

Voltage	60 V
Motor type	Brushless
Max. air volume	900 CFM
Max. air speed	190 MPH
Weight (bare)	15.2 lbs.
IP rating	IPX5



### 41 N backpack blower

**KC501.9**

#### Our most powerful blower yet

With 41 N of blowing force, this is the most powerful Kress blower to date—engineered for heavy-duty and municipal landscaping. Delivering exceptional performance at only 63 dB, it pairs maximum power with minimal noise.

#### 41 N

Voltage	60 V
Motor type	Brushless
Max. air volume	960 CFM
Max. air speed	230 MPH
Weight (bare)	15.2 lbs.
IP rating	IPX5



**NEW**



## Handheld blower 60 V Commercial

### High-efficiency blowing

With an air volume of 850 CFM\*\* and 22 N blowing force, this blower is essential for professionals seeking efficiency and reliability in demanding landscaping tasks.

### QuietStorm™ low-noise technology

The KC510 meets city noise regulations and customer demands, helping you win bids where low noise is key, while delivering high-end petrol blower performance.

### Precision at your command

The variable speed trigger system allows for precise power adjustments, promoting energy-saving practices and extending battery pack runtime.

### 4-step speed settings

Ultimate control with 4-step speed settings and feathered cruise control for precise airspeed and reduced fatigue during extended use.

## 22 N handheld blower

## KC510.9

### Compact power

With 22 N of thrust and air speeds up to 185 MPH, this blower delivers pro-grade output in a lightweight 5.7 lbs. build. Powered by QuietStorm™ technology, it's ideal for noise-sensitive areas.

### 22 N

Voltage  
Motor type  
Max. air volume  
Max. air speed  
Weight (bare)  
IP rating

60 V  
Brushless  
850 CFM  
185 MPH  
5.7 lbs.  
IPX5

\*\* With nozzle



Accessories  
60 V Commercial

**Versatile accessories for enhanced performance and flexibility**

Accessories designed to complement the performance of your 60 V Commercial tools, ensuring maximum efficiency and durability for every task.

“None is close to Kress. No lapse in quality, but a massive increase in the quality of life.”

The Greenery, South Carolina, USA

Replacement trimmer head with rapid load  
60 V Commercial  
Grass trimmer / brush cutter accessories

**4" replacement trimmer head with rapid load KAC100**

Features rapid line reload with lightweight design which allows users more time trimming and less time winding line.



Trimmer head size 4"  
Line reload volume 20 ft 0.095"  
Compatible with KC100.9 KC110.9 KC120.9 KC170.9

**5" replacement trimmer head with rapid load KAC101**

Providing large refill quantity, features rapid line reload which allows users more time trimming and less time line winding.



Trimmer head size 5"  
Line reload volume 30 ft 0.095"  
Compatible with KC100.9 KC110.9 KC120.9 KC170.9

**4" replacement trimmer head with rapid load KAC106**

Features rapid line reload, lightweight and low-vibration design, allowing users more time trimming and less time line winding.



Trimmer head size 4"  
Line reload volume 13 ft 0.095"  
Compatible with KC100.9 KC110.9 KC120.9 KC170.9

**4" replacement trimmer head with rapid load KAC107**

**NEW**

Features rapid line reload with increased line capacity and low vibration, allowing users more time trimming and less time line winding.



Trimmer head size 4"  
Line reload volume 20 ft 0.095"  
Compatible with KC100.9 KC110.9 KC120.9 KC170.9

Trimmer head bump head  
60 V Commercial  
Grass trimmer / brush cutter accessories

**Trimmer head bump head KAC102**



Size 2.323" x 0.984"  
Weight 0.060 lbs  
Material PA6  
Compatible with KAC100

**Trimmer head bump head KAC103**



Size 2.952" x 1.141"  
Weight 0.115 lbs  
Material PA6  
Compatible with KAC101

Trimmer line / Shoulder strap  
 60 V Commercial  
 Grass trimmer / brush cutter accessories

**1175 ft trimmer line** **KAC112**



This trimmer line combines highly durable coating and flexible core, which optimizes strength and cutting efficiency.

Category Undulated trimmer line  
 Line diameter 0.105 in  
 Compatible with KC100.9 KC110.9  
 KC120.9 KC170.9

**1425 ft trimmer line** **KAC113**



This trimmer line combines highly durable coating and flexible core, which optimizes strength and cutting efficiency.

Category Undulated trimmer line  
 Line diameter 0.095 in  
 Compatible with KC100.9 KC110.9  
 KC120.9 KC170.9

**290 ft trimmer line** **KAC114**



This trimmer line combines highly durable coating and flexible core, which optimizes strength and cutting efficiency.

Category Undulated trimmer line  
 Line diameter 0.095 in  
 Compatible with KC100.9 KC110.9  
 KC120.9 KC170.9

**240 ft trimmer line** **KAC115**



This trimmer line combines highly durable coating and flexible core, which optimizes strength and cutting efficiency.

Category Undulated trimmer line  
 Line diameter 0.105 in  
 Compatible with KC100.9 KC110.9  
 KC120.9 KC170.9

**800 ft trimmer line** **KAC116**



This trimmer line combines highly durable coating and flexible core, which optimizes strength and cutting efficiency.

Category Undulated trimmer line  
 Line diameter 0.095 in  
 Compatible with KC100.9 KC110.9  
 KC120.9 KC170.9

**850 ft trimmer line** **KAC120**



Optimizes strength and cutting efficiency while the twisted shape design decreases noise.

Category Twist trimmer line  
 Line diameter 0.095 in  
 Compatible with KC100.9 KC110.9  
 KC120.9 KC170.9

**Single shoulder strap** **KAC130**



Evenly distribute weight to allow for less fatigue during long periods of use.

Compatible with KC100.9 KC110.9  
 KC120.9 KC150.9 KC151.9


Edger blade  
 60 V Commercial  
 Edger accessories

**2 pcs edger blade** **KAC150**



Pcs per package 2  
 Blade size 7.8 x 2 x 0.1"  
 Blade arbor size 2.2"  
 Compatible with KC150.9 KC151.9

**25 pcs edger blade** **KAC151**



Pcs per package 25  
 Blade size 7.8 x 2 x 0.1"  
 Blade arbor size 2.2"  
 Compatible with KC150.9 KC151.9

Handle & Guard  
 60 V Commercial  
 Hedge trimmer accessories

**D handle** **KAC201**



The D handle gives users comfort using experience and easy access to the controls.

Compatible with KC240.9 KC241.9  
 KC270.9 KC120.9  
 KC100.9

**Rear impact guard** **KAC202**



The rear impact guard protects the battery from wear and damage.

Compatible with KC240.9 KC241.9 KC270.9

**Single shoulder strap** **KAC130**



Evenly distribute weight to allow for less fatigue during long periods of use.

Compatible with KC240.9 KC241.9 KC270.9

Blades  
60 V Commercial  
Lawn mower accessories

**1 pc** high lift mower blade **KAC700**

For superior bagging performance



Blade length 21"  
Blade arbor size 5/8"  
Blade thickness 0.134"  
Blade type High lift  
Compatible with KC710.9

**6 pcs** high lift mower blade **KAC704**

For superior bagging performance



Blade length 21"  
Blade arbor size 5/8"  
Blade thickness 0.134"  
Blade type High lift  
Compatible with KC710.9

**1 pc** medium lift mower blade **KAC701**

For mulching and bagging applications



Blade length 21"  
Blade arbor size 5/8"  
Blade thickness 0.134"  
Blade type Standard lift  
Compatible with KC710.9

**6 pcs** medium lift mower blade **KAC705**

For mulching and bagging applications



Blade length 21"  
Blade arbor size 5/8"  
Blade thickness 0.134"  
Blade type Standard lift  
Compatible with KC710.9

**1 pc** low lift mower blade **KAC702**

For coastal and sandy regions usage



Blade length 21"  
Blade arbor size 5/8"  
Blade thickness 0.134"  
Blade type Low lift  
Compatible with KC710.9

**6 pcs** low lift mower blade **KAC707**

For coastal and sandy regions usage



Blade length 21"  
Blade arbor size 5/8"  
Blade thickness 0.134"  
Blade type Low lift  
Compatible with KC710.9

**1 pc** premium mulching mower blade **KAC703**


For superior mulching performance



Blade length 21"  
Blade arbor size 5/8"  
Blade thickness 0.134"  
Blade type Gator style  
Compatible with KC710.9

**6 pcs** premium mulching mower blade **KAC706**

For superior mulching performance



Blade length 21"  
Blade arbor size 5/8"  
Blade thickness 0.134"  
Blade type Gator style  
Compatible with KC710.9

Mower collection bag / Mulching plug / Rear side discharge chute  
60 V Commercial  
Lawn mower accessories

Mower collection bag **KAC730**



Size 22.126" x 15.079" x 11.614"  
Weight 4.850 lbs  
Material Polyester fabrics  
Compatible with KC710.9

Mower mulching plug **KAC740**



Size 13.386" x 10.630" x 10.236"  
Weight 1.168 lbs  
Material PP  
Compatible with KC710.9

Mower rear side discharge chute **KAC750**



Size 17.913" x 18.110" x 8.976"  
Weight 3.17 lbs  
Material PP  
Compatible with KC710.9

Curved round nozzle  
60 V Commercial  
Blower accessories

Curved round nozzle **KAC500**



Assist in high-efficiency leaf blowing with precise airflow control, perfect for drying wet grass. Its lightweight, ergonomic design reduces fatigue during use.

Compatible with KC500.9

Oregon chain & guide bar  
60 V Commercial  
Chainsaw accessories

**12"** oregon chain & guide bar **KAC303&KAC334**

Assist in the exploration and enhancement of the speed, efficiency, and overall performance.



Chain pitch 0.325" LP  
Gauge 0.043"  
Compatible with KC320.9

**14"** oregon chain & guide bar **KAC300&KAC330**

Assist in the exploration and enhancement of the speed, efficiency, and overall performance.



Chain pitch 0.325" LP  
Gauge 0.043"  
Compatible with KC320.9 KC310.9

**16"** oregon chain & guide bar **KAC301&KAC331**


Assist in the exploration and enhancement of the speed, efficiency, and overall performance.



Chain pitch 0.325" LP  
Gauge 0.043"  
Compatible with KC300.9 KC310.9

**10"** oregon chain & guide bar **KAC302&KAC333**

Assist in the exploration and enhancement of the speed, efficiency, and overall performance.



Chain pitch 3 / 8" LP  
Gauge 0.043"  
Compatible with KC330.9

**16"** oregon chain & guide bar **KAC305&KAC336**

Assist in the exploration and enhancement of the speed, efficiency, and overall performance.



Chain pitch 0.325"  
Gauge 0.050"  
Compatible with KC340.9

**18"** oregon chain & guide bar **KAC306&KAC337**

Assist in the exploration and enhancement of the speed, efficiency, and overall performance.



Chain pitch 0.325"  
Gauge 0.050"  
Compatible with KC340.9

**20"** oregon chain & guide bar **KAC307&KAC338**

Assist in the exploration and enhancement of the speed, efficiency, and overall performance.



Chain pitch 0.325"  
Gauge 0.050"  
Compatible with KC340.9

Others  
60 V Commercial

Backpack battery harness **KAC900**



When working together with tools such as Kress 60 V hedge trimmer, the tools weigh less, so work is much easier.

Weight 5 lbs.  
Compatible with Kress 60 V batteries and Kress 60 V CyberPack®

Battery belt **KAC903**



The shaped belt to carry Kress batteries for better comfort.

Weight 3.7 lbs.

Weight balance kit **KAC939**



To be attached on the backpack harness to improve the tools' balance.

Weight 3.3 lbs.

Rain cover **KAC920**



Expertly designed to protect various gardening equipment from extreme weather conditions like snow, heavy rain, and damage caused by sun exposure. It also safeguards your tools from dirt, birds, and tree sap.

Weight 0.55 lbs.  
Compatible with Trimmer, edger, hedge trimmer, pole saw, brush cutter, chainsaw, blower

Rain cover for mower **KAC921**



Designed specifically to shield lawn mowers from harsh weather conditions, including snow, heavy rain, and sun damage. This cover also offers protection against common outdoor nuisances such as dirt, bird droppings, and tree sap.

Weight 3 lbs.  
Compatible with Mower

Extension adapter **KA3707**



**NEW**

Provides a cost-effective solution that allows 60 V range chargers to charge 60 V Commercial backpack batteries. It features a 1 m cable for flexible placement and a secure hook for stable mounting.

Length 1 m  
Compatible with Kress 60 V Professional chargers and 60 V Commercial backpack batteries



**Highly integrated App** All elements of our system work together to form an interconnecting network. Batteries communicate with tools and chargers. Data is sent to the cloud for diagnostic, theft protection, fleet management and much more. All of the information you need is at your fingertips.

**Fleet management** Real-time equipment tracking. Manage crews and operators, check out and check in to know equipment inventory. Know how your equipment is used, work history, power consumption, efficiency and more. Manage your customer lists.


**Smart control** Display of equipment status and remote control. Theft protection with quick CyberTank® lock down upon anti-theft alert. Error notifications, "How to solve" guide, product manuals for troubleshooting anywhere.

**Equipment management** Effortlessly connect your devices through the App to track locations, monitor statuses, control remotely, and perform OTA updates. Enjoy streamlined charging management, detailed usage insights, and power consumption data. Simplify inventory tracking with easy check-in and check-out features.

**Anti-theft warning** Define an anti-theft zone with CyberTank® and get instant alerts if your equipment moves beyond the designated area. Keep your tools secure during brief stops or once they return to your facility.

**Customer management** Easily organize and oversee customer details and addresses for enhanced efficiency and convenience.

**Crew management** Oversee your team and personnel, control device access and permissions for remote operations using check-in and check-out functionality.



Google Play and the Google Play logo are trademarks of Google LLC. App Store is a trademark of Apple Inc., registered in the U.S. and other countries and regions.



High performance tools  
for pros and homeowners

**Tame tough  
landscapes**

Maintain high-demand areas with pro-grade power. The Kress 60 V Pack performs effortlessly to streamline the way you care for large yards, forested landscapes, small farms, and more.

**Kress IQ**

Our intelligent battery control software for battery protection, optimal energy, supply, and communication between the tool, charger, and the battery.

**Cell guard**

The cells are shielded to prevent vibration and contact with each other (impact protection, vibration protection).

**Temp control**


Cells stay cooler longer, increasing efficiency and extending battery life.





**The advantages of our brushless Kress motors**

Kress 60 V motors are designed for high loads and optimal combination with our 60 V max batteries. The battery energy is efficiently transformed into performance.



**No wear**

Unlike brush motors, brushless motors are wear-free:

- No replacing wear parts
- Longer service life
- Improved battery performance and service life

**Top energy efficiency**


Brushless motors transform energy almost completely into performance:

- 85% energy utilization (compared with 75% for brush motors, 15% for gas engines)
- No friction losses
- Minimal heat generation

**Optimally co-ordinated power**

Kress 60 V motors are designed to get the most out of the battery power:

- Optimal energy utilization
- High torque
- No overcharging



Lawn mower  
60 V Professional



**Single lever height adjustment** Adjust your cutting height rapidly from one location.

**Bag / mulch selector** Quickly switch between mulching or bagging applications. Replaces a traditional mulch plug.

**Brushless motor** High-efficiency motor provides more power, extended run time, and longer life.

**Torque logic** Maintains cutting power under difficult mowing conditions.

**21"** push mower

**KG758\***

**High performance with ease of use** Quiet, zero-emissions, cost-effective, and packed with many practical functions, this mower is perfect for precision mowing of mid-size lawns up to 1/4 acre.

<b>1.8 kW</b>	Voltage	60 V
	Motor type	Brushless
	Cutting mode	mulch / bag / side discharge
	7 Position Cutting height	1.5 - 4.0 in
	Deck material	Steel
	Bag capacity	2 bushels
	Weight (bare)	62.2 lbs.
	IP rating	IPX4

\* KG758 with a 5 Ah battery and 5 A charger



**21"** self-propelled mower

**KG760.1\***

**High performance with ease of use** This quiet mower delivers cost-effective uncompromising performance and user-comfort with zero emissions, ideal for medium-sized lawns up to 1/4 acre.

<b>1.8 kW</b>	Voltage	60 V
	Motor type	Brushless
	Cutting mode	mulch / bag / side discharge
	7 Position Cutting height	1.5 - 4.0 in
	Deck material	Steel
	Bag capacity	2 bushels
	Weight (bare)	67.0 lbs.
	IP rating	IPX4

\* KG760.1 with 2 pcs 5 Ah batteries and a 5 A charger



**21"** self-propelled twin blade mower

**KG761\***

**Superior performance** Equipped with dual-blades and self-propulsion mode, this mower delivers gas-like efficiency, ideal for mowing lawns up to 1/4 acre.

<b>2.2 kW</b>	Voltage	60 V
	Motor type	Brushless
	Cutting mode	mulch / bag / rear side discharge
	7 Position Cutting height	1.5 - 4.0 in
	Deck material	Polymer
	Bag capacity	2.3 bushels
	Weight (bare)	56.4 lbs.
	IP rating	IPX4

\* KG761 with an 8 Ah battery and a 5 A charger



Grass trimmer  
60 V Professional



**ECO mode** Extends battery life and is great for trimming in delicate areas.

**D-handle** For multiple position operation in trimming and edging.

**Brushless motor** High-efficiency motor provides more power, extended run time, and longer life.

**Quick load** Dual-line bump feed head features easy line loading with a simple twist of a knob.

**16" grass trimmer**

**KG160 / KG160.9\***

**Lightweight but powerful**

High-Performance string trimmer, with a powerful brushless motor, built for frequent professional-grade garden maintenance.

**0.95 kW**

Voltage	60 V
Motor type	brushless motor
Line diameter	.095"
Cutting speed	4700 / 5600 rpm
Line feed system	Bump feed
Trimmer head type	Rapid reload
Line reload length	13 ft
Weight (bare)	7.1 lbs.

\* KG160 with a 2.5 Ah battery and 3 A charger



**16" carbon fiber grass trimmer**

**KG162 / KG162.9\***

**Lightweight carbon fiber shaft**

Equipped with a powerful brushless motor and durable, lightweight carbon fiber shaft, this trimmer delivers gas-like power without emissions, ideal for professional-grade garden upkeep.

**0.95 kW**

Voltage	60 V
Motor type	brushless motor
Line diameter	.095"
Cutting speed	4700 / 5600 rpm
Line feed system	Bump feed
Trimmer head type	Rapid reload
Line reload length	20 ft
Weight (bare)	6.88 lbs.

\* KG162 with a 2.5 Ah battery and 3 A charger



**16" attachment capable grass trimmer**

**KG164 / KG164.9\***

**Lightweight and attachable for multi-usage**

Powered by a powerful brushless motor, this versatile grass trimmer offers multi-attachment compatibility, ideal for frequent professional grade garden maintenance.

**1.2 kW**

Voltage	60 V
Motor type	brushless motor
Line diameter	.095"
Cutting speed	5500 / 6000 rpm
Line feed system	Bump feed
Trimmer head type	Rapid Reload
Line reload length	19.7 ft
Weight (bare)	9.04 lbs.

\* KG164 with a 2.5 Ah battery and 3 A charger



**One button chain tension**

Simplifies the task of maintaining the tension level in the chain.

**Automatic chain oiler**

Worry-free bar & chain lubrication for less wear and tear.

**Inertia chain brake**

Rapidly stops chain when unexpected kickback occurs.

**Brushless motor**

High-efficiency motor provides more power, extended run time, and longer life.



**16" chainsaw**

**KG367 / KG367.9\***

**Powerful precision for professional cuts**

Equipped with a 2.5 kW brushless motor, this chainsaw delivers 72 ft/s chain speed for smooth and precise cuts. Perfect for demanding professional use.

**2.5 kW**

Voltage	60 V
Motor type	Brushless
Chain speed	72 ft/s
Chain pitch	3/8"
Chain gauge	.043 in
Weight (bare)	9.5 lbs.
Equivalent to gas power	45 cc

\* KG367 with a 2.5 Ah battery and 3 A charger



**18" chainsaw**

**KG368 / KG368.9\***

**Power meets precision**

Powered by a 2.5 kW brushless motor and 78.7 ft/s chain speed, the KG368.9 ensures precise, professional-grade performance.

**2.5 kW**

Voltage	60 V
Motor type	Brushless
Chain speed	79 ft/s
Chain pitch	3/8"
Chain gauge	.043 in
Weight (bare)	9.5 lbs.
Equivalent to gas power	45 cc

\* KG368 with a 5 Ah battery and 3 A charger





Hedge trimmer  
60 V Professional

**Blade tip guard** Reduces blade wear when cutting near the ground or walls.

**25" dual laser-cut blades** Extremely sharp dual-sided blade for a clean cut on every branch.

**Brushless motor** High-efficiency motor provides more power, extended run time, and longer life.

**Handguard** Additional operator protection near the front handle.

Snow blower  
60 V Professional

**LED headlights** Provide greater visibility for nighttime snow removal, provide illuminate a distance of 16-22 yards.

**2-in-1 Chute control system** 180-degree rotating chute allows your directional control and can throw 52 ft. away from the walkway.

**Stamped steel housing** Strength and rigidity housing design withstand heavy impacts, provide excellent power and durability in heavy duty.



25" hedge trimmer

KG262.9

**Easy to use** This hedge trimmer delivers exceptional power in a convenient lightweight design.

3400 spm

Voltage  
Motor type  
Cutting speed  
Tooth spacing  
Weight (bare)

60 V  
Brushless  
3400 spm  
1.3"  
6.68 lbs.



24" self-propelled 2-stage snow blower

KG470 / KG471\*

**Heavy duty clearing** The Kress 2-stage snow blower clears up to 8 inches of snow across a 21-car driveway on one charge. Dual brushless motors power plowing and propulsion, while intuitive controls and a 2-in-1 chute ensure precision and ease.

Voltage  
Motor type  
Throw distance  
Clearing width  
Intake depth  
Auger type  
Working area capacity  
Weight (bare)  
IP rating

60 V  
Brushless  
52 ft  
24"  
17.5 in  
Steel  
21 car driveway  
132 lbs.  
IPX4



\* KG470 with 2 pcs 5 Ah batteries and a 8 A charger, KG471 with 4 pcs 5 Ah batteries and a 8 A charger

**Variable speed control**

Adjustable speeds + Turbo for added control in tight spaces or larger areas.

**Turbine air intake**

Axial fan delivers high-capacity air volume.

**Air amplifier technology**

Allows operator to control air flow and improve efficiency for various job types.

**Brushless motor**

High-efficiency motor provides more power, extended run time, and longer life.



**750 CFM blower**

**KG560 / KG560.9\***

**Powerful and durable**

This blower delivers 18 N of thrust, for effortless leaf and debris clearing. Built for durability and emissions-free operation, it handles demanding tasks with ease.

**18 N**

Voltage	60 V
Motor type	Brushless
Max. air volume	750 CFM
Max. air speed	140 MPH
Blowing force	18 N
Weight (bare)	4.9 lbs.

\* KG560 with a 2.5 Ah battery and 3 A charger



**850 CFM blower**

**KG561 / KG561.9\***

**Powerful and durable**

KG561.9 leaf blower delivers 25 N of thrust, built tough for demanding tasks and zero-emission garden care.

**25 N**

Voltage	60 V
Motor type	Brushless
Max. air volume	850 CFM
Max. air speed	175 MPH
Blowing force	25 N
Weight (bare)	4.9 lbs.

\* KG561 with a 5 Ah battery and 3 A charger



Battery & charger  
60 V Professional

The ideal battery  
for all jobs

**Kress 60 V battery  
technology**

100% compatible with all 60 V Kress outdoor power equipment. All the products in the 60 V range fully exploit the higher power of the 60 V battery. The lithium-ion battery guarantees continuous high power and faster charging. It also stays cool, even with high loads. Our batteries are made from top-quality materials for a longer service life, and they meet all recycling requirements.

Battery & charger  
60 V Professional

60 V **2.5 Ah** battery

**KA3001**

The KA3001 guarantees continuous power and faster charging for the toughest jobs. It has a cooling technology that works even under high loads. It is manufactured from top-quality materials for a longer service life.



IPX4 water resistance	Yes
Weight	3.42 lbs.
Battery capacity indicator	Yes

60 V **5.0 Ah** battery

**KA3008**

The KA3008 delivers continuous power and extended runtime for tough jobs. It is engineered with a cooling technology and premium materials that ensure durability and longer service life, even under heavy loads.



IPX4 water resistance	Yes
Weight	6.18 lbs.
Battery capacity indicator	Yes

60 V **8.0 Ah** battery

**KA3018**

The KA3018 delivers relentless power for tough tasks, charges rapidly, and it's built with the best materials for an extended lifespan.



IPX4 water resistance	Yes
Weight	6.51 lbs.
Battery capacity indicator	Yes

60 V **3 A** charger

**KA3712\***

This charger communicates with the battery to balance the cells and monitors temperature and voltage, helping to extend the battery's lifespan.



Weight	3.31 lbs.	
Charge times	1 × 2.5 Ah	50 min
	1 × 5.0 Ah	100 min
	1 × 8.0 Ah	160 min

60 V **5 A** fast charger

**KA3714**

This charger offers fast and efficient charging with its SmartLink battery management and cooling system. It charges batteries in minutes while providing enhanced protection for the cells, ensuring a longer service life.



Weight	3.75 lbs.	
Charge times	1 × 2.5 Ah	30 min
	1 × 5.0 Ah	60 min
	1 × 8.0 Ah	100 min

60 V **8 A** dual port charger

**KA3706**

This dual charger can charge two 60 V batteries at the same time. The built-in SmartLink battery management and cooling system provide a better protection for the battery's cells and they guarantee a longer service life.



Weight	6.2 lbs.	
Charge time	1 × 2.5 Ah	30 min
	2 × 2.5 Ah	40 min
	1 × 5.0 Ah	40 min
	2 × 5.0 Ah	75 min
	1 × 8.0 Ah	60 min
	2 × 8.0 Ah	120 min



## 40 V Range

Dual 20 V batteries for dominating 40 V performance

### Power up your yard

For everyday homeowners, Kress offers a versatile range anchored by a modular 20 V battery pack system. Double up to 40 V for high-powered tasks, or stick with a single 20V module for compactness and ease in lighter duties.

## Energy system - KrossPack

### Kress IQ

Our intelligent battery control software for battery protection, optimal energy, supply, and communication between the tool, charger, and the battery.

### Cell protect

The cells are shielded to prevent vibration and contact with each other (impact protection, vibration protection).

### Temp control

Cells stay cooler longer, increasing efficiency and extending battery life.



Lawn mower  
40 V Range



**Single lever height adjustment** Adjust your cutting height rapidly from one location.

**Brushless motor** High efficiency motor provides more power, extended run time and longer life.

**Battery status easy check on deck** Quickly and easily checking remaining battery status from deck.

**21"** push mower

**KG753\***

**Agile yet powerful** This push mower provides you with the cutting efficiency and enough power, ideal for tackling lawns up to 1/4 acre.

**1.2 kW**

Voltage	40 V
Motor type	Brushless
Cutting mode	mulch / bag / rear side discharge
Cutting height	1.5 - 4.0 in
Deck material	Polymer
Bag capacity	2.3 bushels
Weight (bare)	43.9 lbs.

\* KG753 with 2 pcs 8 Ah batteries and a 4 A dual port charger



**21"** Self-propelled mower

**KG754\***

**Agile yet powerful** This self-push mower delivers superior cutting efficiency with minimal downtime, ideal for lawns up to 1/4 acre.

**1.2 kW**

Voltage	40 V
Motor type	Brushless
Cutting mode	mulch / bag / rear side discharge
Cutting height	1.5 - 4.0 in
Deck material	Polymer
Bag capacity	2.3 bushels
Weight (bare)	45.4 lbs.

\* KG754 with 2 pcs 8 Ah batteries and a 4 A dual port charger





## Grass trimmer 40 V Range

**ECO mode** Extends battery life and is great for trimming in delicate areas.

**D-handle** For multi-position trimming and edging.

**Brushless motor** High efficiency motor provides more power, extended run time and longer life.

**Quick-line load** Dual-line bump feed head features easy line loading with a simple twist of a knob. Uses .095" line and has a 13-foot capacity.



## Hedge trimmer 40 V Range

**Dual-action cutting blades** Dual-action cutting blades minimize vibration for fast, clean cuts.

**Handguard** Additional operator protection near the front handle.

**Ergonomic rotating rear handle** Rotate the rear handle to make any trimming position easy and comfortable.

**Full-wrap front handle** Rapid and easy maneuvering for ergonomic operation.

### 15" grass trimmer

### KG154 / KG154.9\*

**Powerful and quiet**

The high performance and power of gas without the noise, the upkeep and the exhaust fumes.

Voltage  
Motor type  
Line diameter  
Cutting speed  
Line feed system  
Trimmer head type  
Line reload length  
Weight (bare)

40 V  
brushless motor  
.095"  
5000 / 6000 rpm  
Bump feed  
Rapid reload  
13 ft  
6.32 lbs.



\* KG154 with 2 pcs 8 Ah batteries and a 5 A charger

### 24" hedge trimmer

### KG285 / KG285.9\*

**Powerful and lightweight**

This hedge trimmer delivers exceptional power in a convenient lightweight design.

Voltage  
Motor type  
Cutting speed  
Tooth spacing  
Weight (bare)

40 V  
brushless motor  
3400 spm  
1.3"  
5.96 lbs.



\* KG285 with 2 pcs 2 Ah batteries and a 4 A charger

## Chainsaw 40 V Range



**Inertia chain brake** Rapidly stops chain when unexpected kickback occurs.

**One button chain tension** Simplifies the task of maintaining the tension level in the chain.

**Automatic chain oiler** Worry-free bar & chain lubrication for less wear and tear.

**Brushless motor** High efficiency motor provides more power, extended run time and longer life.

### 14" chainsaw

### KG346 / KG346.9\*

**Powerful and efficient**

Packed with user-friendly features, this chainsaw delivers 2.5 kW power and 59 ft/s chain speed delivering swift efficient cuts.

**2.5 kW**

Voltage	40 V
Motor type	Brushless
Chain speed	59 ft/s
Chain pitch	3/8"
Chain gauge	.043 in.
Weight (bare)	9.05 lbs.
Equivalent to gas power	45 cc

\* KG346 with 2 pcs 4 Ah batteries and a 4 A dual port charger



### 5" pruning saw

### KG343\*

**Powerful and precise**

A powerful and versatile saw for pruning, trimming, delimiting, and bucking, with an up to 32.8 ft/s high chain speed to facilitate streamlined cuts.

**32.8 ft/s**

Voltage	20 V
Motor type	Brushless
Chain speed	32.8 ft/s
Chain pitch	.3"
Weight (bare)	2.43 lbs.

\* KG343 with a 2 Ah battery and 2 A charger



### 1" pruning shears

### KG340\*

**Easy to use**

The lightweight design makes this pruner ideal for fluid and precise pruning.

**1"**

Battery voltage	20 V
Cutting Capacity	1"
Cutting speed	0.5 second / cut
Blade type	SK5 titanium
Weight (bare)	1.56 lbs.

\* KG340 with a 2 Ah battery and 2 A charger



Blower  
40 V Range

**Variable speed control** Adjustable speeds + Turbo for added control in tight spaces or larger areas.

**Turbo mode** An added boost of power at the push of a button for those heavy-duty jobs.

**Silent turbine fan technology** Silent turbine design to minimize the noise down to 57 dB.



**16 N** Silent blower

**KG584 / KG584.9\***

**Lightweight and quiet**

Equipped with a brushless motor in a lightweight design, this quiet leaf blower is ideal for residential use.



**16 N**

Voltage  
Motor type  
Max. air volume  
Max. air speed  
Blowing force  
Weight (bare)

40 V  
Brushless  
530 CFM  
180 MPH  
16 N  
4.2 lbs.

\* KG584 with 2 pcs 4 Ah batteries and a 4 A dual port charger



## Battery & charger 40 V Range

### Kress 20 V battery technology

Compatible with all Kress 40 V outdoor power equipment when using two batteries

## Battery & charger 40 V Range

### 20 V 2.0 Ah battery

**KAB02**

Powerful, compact, and flexible. Compatible with all Kress 20 V and 40 V tools, this versatile battery delivers high-efficiency performance.



Charge time	from 20 min
Weight	0.93 lbs.
Battery capacity indicator	Yes

### 20 V 4.0 Ah battery

**KAB04**

Smart, powerful, and flexible. This versatile battery powers all Kress 20 V and 40 V tools, delivering the energy and runtime needed for demanding tasks.



Charge time	from 20 min
Weight	1.43 lbs.
Battery capacity indicator	Yes

### 20 V 8.0 Ah battery

**KAB08**

This battery ensures peak performance. Compatible with all Kress 20 V and 40 V tools, it delivers exceptional power, maximum efficiency, and extended runtime for every task.



Charge time	from 35 min
Weight	2.21 lbs.
Battery capacity indicator	Yes

### 20 V 2 A single port charger

**KAC02**

Powers up Kress 20 V KrossPack batteries quickly, fully charging a 2.0 Ah battery in 60 minutes.



Weight	0.9 lbs.	
Charge times		
	1 × 2.0 Ah	60 min
	1 × 4.0 Ah	120 min
	1 × 8.0 Ah	240 min

### 20 V 4 A dual port charger

**KAC04**

The Kress dual port charger charges all Kress 20 V KrossPack Lithium batteries. It charges a single battery in 30 minutes for uninterrupted activity.



Weight	2.1 lbs.	
Charge time		
	1 × 2.0 Ah	30 min
	2 × 2.0 Ah	60 min
	1 × 4.0 Ah	60 min
	2 × 4.0 Ah	120 min
	1 × 8.0 Ah	120 min
	2 × 8.0 Ah	240 min

### 20 V 15 A dual port charger

**KAC15**

The dual-port charger powers up two 2.0 Ah KrossPack batteries in 40 minutes, ensuring minimal downtime and seamless productivity. It is compatible with all Kress 20 V Lithium-Ion batteries.



Weight	3.31 lbs.	
Charge time		
	1 × 2.0 Ah	20 min
	2 × 2.0 Ah	40 min
	1 × 4.0 Ah	20 min
	2 × 4.0 Ah	40 min
	1 × 8.0 Ah	35 min
	2 × 8.0 Ah	70 min



Accessories  
60 V Professional  
40 V Range

**Tailored accessories  
for every task**

Designed to maximize the versatility and performance of your 60 V Professional and 40 V range tools. Whether you're tackling professional jobs or residential tasks, our accessories provide the flexibility and reliability you need for an exceptional experience.

Quick line load grass trimmer head  
60 V Professional & 40 V Range  
Grass trimmer accessories

Quick line load grass trimmer head **KA0305**

Quick line load grass trimmer head, rewinding the line easily. Insert the line into the spool directly and twist the rotary knob, it reloads in seconds.



Trimmer head size 4.3" x 4.3" x 2.8"  
Line reload volume  
13 ft. 0.095 inch Trimmer line  
Compatible with KG160 KG154

Quick line load grass trimmer head **KA0307**

Quick line load grass trimmer head, rewinding the line easily. Insert the line into the spool directly and twist the rotary knob, it reloads in seconds.



Trimmer head size 4.4" x 4.4" x 2.7"  
Line reload volume  
20 ft. 0.095 inch Trimmer line  
Compatible with KG162 KG162.9

Attachments capable  
60 V Professional & 40 V Range  
Grass trimmer accessories

Pole hedge trimmer **KA0421**



Blade length 20"  
Max cutting height 10 ft  
Dual action blade Y  
Compatible with KG164 KG164.9

Edger **KA2283**



Blade diameter 8"  
Cutting depth up to 2.5"  
Wheel size 4.5"  
Compatible with KG164 KG164.9

Pole saw **KA2642**



Blade length 10"  
Chain speed 31 MPH  
Max cutting height 47.2 ft/s  
Extension pole Y  
Compatible with KG164 KG164.9

Blade  
60 V Professional & 40 V Range  
Edger accessories

Edger Blade

**KA2270**

**NEW**



Blade size 8" x 2" x 0.1"  
Compatible with KG164

Chainsaw chain  
60 V Professional & 40 V Range  
Chainsaw accessories

10" Chainsaw chain

**KA2626**

**NEW**




Chain pitch 3/8" LP  
Gauge 1.1 mm  
Compatible with KA2642

Chainsaw chain  
60 V Professional & 40 V Range  
Chainsaw accessories

18" Chainsaw chain

**KA2623**



Chain pitch 3/8" LP  
Gauge 1.1 mm  
Compatible with KG368

16" Chainsaw chain

**KA2622**



Chain pitch 3/8" LP  
Gauge 1.1 mm  
Compatible with KG367 KG346

Chainsaw bar  
60 V Professional & 40 V Range  
Chainsaw accessories

18" Chainsaw bar

**KA2701**



Chain pitch 3/8" LP  
Gauge 1.1 mm  
Compatible with KG368

16" Chainsaw bar


**KA2700**



Chain pitch 3/8" LP  
Gauge 1.1 mm  
Compatible with KG367

14" Chainsaw chain


**KA2624**



Chain pitch 3/8" LP  
Gauge 1.1 mm  
Compatible with KG346

5" Chainsaw chain


**KA2632**



Chain pitch 0.3" LP  
Gauge 1.1 mm  
Compatible with KG343

16" Chainsaw bar


**KA2603**



Chain pitch 3/8" LP  
Gauge 1.1 mm  
Compatible with KG346

14" Chainsaw bar

**KA2604**



Chain pitch 3/8" LP  
Gauge 1.1 mm  
Compatible with KG346

Chainsaw bar  
60 V Professional & 40 V Range  
Chainsaw accessories

5" Chainsaw bar **KA2612**



Chain pitch 0.3" LP  
Gauge 1.1 mm  
Compatible with KG343

10" Chainsaw bar **KA2605**

**NEW**



Chain pitch 3/8" LP  
Gauge 1.1 mm  
Compatible with KA2642

Snowthrower shear pins  
60 V Professional & 40 V Range  
Snow blower accessories

6 pcs snowthrower shear pins **KA2400**

**NEW**

Designed to shear on impact to protect the gearbox; quick and easy to replace for minimal downtime.



Specification M6  
Dimension 0.2" x 0.1" x 0.1"  
Compatible with KG471

Blades  
60 V Professional & 40 V Range  
Lawn mower accessories

Gator blade **KA2123**

Gator blade lifts and holds the grass in an upright position for more precisely grass cutting.



Blade size 21"  
Compatible with KG753 KG754  
KG758 KG760

High lift blade **KA2124**

High lift blade design for covering grass as much as possible in the collection bag.



Blade size 21"  
Compatible with KG753 KG754  
KG758 KG760

Others  
60 V Professional & 40 V Range

Extension adapter **KA3707**

**NEW**

Provides a cost-effective solution that allows 60 V Professional chargers to charge 60 V Commercial backpack batteries. It features a 3.28 ft cable for flexible placement and a secure hook for stable mounting.



Length 3.28 ft  
Compatible with Kress 60 V Professional chargers and 60 V Kress Commercial backpack battery

Low lift blade **KA2125**

Low Lift blade has a flatter profile with a minimal lift angle, reduced power demand provide longer runtime.



Blade size 21"  
Compatible with KG753 KG754  
KG758 KG760

Low lift twin-blade **KA2128**

Low lift twin-blade set cutting through high, dense grass with a single pass, provide you even and precise cutting performance.



Blade size 21"  
Compatible with KG761

## Warranty information

<b>60 V Commercial</b>	<b>Home use</b>	<b>Commercial use</b>	<b>60 V Professional and 40 V Range</b>	<b>Home use</b>	<b>Commercial use</b>
60 V Commercial equipment- models start with KC	5 Years	3 Years or 750 hours of use (whichever comes first)	60 V Equipment	5 Years	2 Years
60 V Commercial equipment (mower)	5 Years	2 Years or 500 hours of use (whichever comes first)	60 V Batteries	3 Years	2 Years (1 Year for KA3001)
CyberPack® commercial batteries - KAC804, KAC810	6 Years	6 Years or 3000 charging cycles (whichever comes first)	60 V Chargers	3 Years	2 Years
CyberTank® portable power station - KAC875L, KAC877L	6 Years	6 Years or 2000 charging cycles (whichever comes first)	40 V Equipment	5 Years	1 Year
CyberCapsule - KAC815	4 Years	4 Years or 1200 charging cycles (whichever comes first)	20 V Equipment	3 Years	60 Days
CyberPack® Nano - KAC800	4 Years	4 Years or 1200 charging cycles (whichever comes first)	20 V KROSSPACK® Batteries	3 Years	1 Year
Commercial charger	4 Years	4 Years	20 V KROSSPACK® Chargers	3 Years	1 Year
Commercial AC power management - KAC859L	2 Years	2 Years	Kress OPE Accessories	N/A	N/A
Energy Accessories - KAC900, KAC903	1 Year	1 Year	Spare Parts	6 Months	6 Months
Energy Accessories - KAC929.X	5 Years	5 Years			
All the other accessories and parts	6 Months	6 Months			

### Legal disclaimer

Technical information, specifications, and product availability subject to change without notice.  
No liability can be accepted for printing errors.  
Illustrations, figures, photos, and tool colors may vary slightly due to production or as a result of our program of continuous product improvements.

For more information visit  
[www.kress.com](http://www.kress.com)

Copyright © 2026, Positec tool corporation.  
All rights reserved.



**Kress** 

**Be the change**

Every now and then, a revolutionary technology makes things obsolete as we know them.

Stop paying for gas at the pump. Forget expensive maintenance bills. The Kress 8-minute CyberSystem delivers unprecedented power and recharges at incredible speed. With zero emission and low noise.

By switching to Kress, you're not only saving the planet and your lungs, but you're saving money as well.

Your Kress dealer

**Kress**  
**[www.kress.com](http://www.kress.com)**